SYSTEMATIC POSITION OF FISHES DESCRIBED UNDER BAGRUS BY VALENCIENNES, 1839

By K. C. Jayaram

Junior Research Fellow, National Institutes of Science of India

(From the Zoological Survey of India, Indian Museum, Calcutta)

Valenciennes in the 14th volume of Histoire Naturelle des Poissons included 58 species under the genus Bagrus. During the course of a revision of the catfish family Bagridae, it was found that the genus as envisaged by Valenciennes is composite, comprising many species which are at present included under different families. The present paper defines the limits of the species to be included under Bagrus-Porcus' (sensu stricto) and also thereby shows the latest systematic position of the others. As far as possible, up-to-date reference to literature under each species is given. The type locality and distribution of the species thus defined, is also cited.

By a revision of the generic limits it has been shown in this article that only two species are referable to *Porcus*, as recognised at present, contrary to 58 species broadly included by Valenciennes. To the family Bagridae itself only 21 out of 58 species can be assigned, falling under six genera. Of the remaining 37 species, four belong to Schilbeidae falling under three genera, 13 belong to Tachysuridae falling under five genera and 20 are synonyms of earlier species. Geographically, 10 species belong to the Neotropical, 6 to the Ethiopian and 22 to the Oriental region.

Such heterogenous assemblage of species of different family affinities under one genus may be due to the incomplete and bad delineations of earlier authors like Kuhl and van Hasselt and others as was pointed out by Valenciennes himself who stated that (p. 389) "mais toutes ces espèces se ressemblent si fort qu'il devient très-difficlie de les caractères, surtout quand il faut en tirer les caractères des descriptions si souvent fautives des auteurs et non des originaux"

I am indebted to Dr. S. L. Hora, for his guidance. Thanks are due to the National Institute of Sciences of India, for the award of a research fellowship.

¹ Jayaram, K. C., Copeia, No. 4, pp. 248-249 (1956).

TABLE 1

No.	Name and page reference in Wistoire Noturelle des Poissons?? Vol. XIV.		Current Scientific name and latest reference.	Type locality.	Current family position.	Distribution of the Species.	
1. 2.	Bagrus schilbeides, Bagrus adansonii,	- }	Eutropius niloticus (Rüppel); Boulenger, G.A., Cat. A frican Fish. Brit. Mus., II,p. 283 (1911).	Egypt S	chilbeidae .	Africa.	
3.	Bagrus vacha, p. 39	92	Eutropiichthys vacha (Hamilton); Hora, S. L., J. Bombay nat. Hist. Soc., XXXIX, p. 436 (1937).	Gangetic Province	Do.	Sind, Punjab, U.P., Bihar, Bengal Orissa, Burma, and Siam. In India the southernmost limit appears to be the Mahanadi river.	
4.	Bagrus murius,	p. 393	Eutropiichthys murius (Hamilton); Hora, S L., Op., cit. p. 435.	River Mahananda	Do.	Rivers of Sind, Orissa, Bengal and Assam.	
5.	Bagrus angius,	р. 393					
6.	Bagrus exodon,	p. 394	Pseudeutropius atherinoides	Tranquebar	Do.	Burma, Bengal, and Deccan.	
7.	Bagrus urua,	p. 3 95	(Bloch); Hora., S. L., Rec.	Trandmenar	100.	Durina, Dengar, and Decour.	
8.	Bagrus atherinoides	, p. 396	Indian Mus., XLIII, p. 103 (1941).				
9.	Bagrus bayad,	р. 397 ———————————————————————————————————	Porcus bayad (Forskal); Boulenger, E G. A., Op. cit. p. 305.	lgypt	Bagridae	Nile system, Chad Basin, Senegal (Africa).	
10,	Bagrus docmac,	p. 404	Porcus docmac (Forskal); Boulenger, G. A., Op. cit. p. 309.	River Nile	Ďσ.	Nile delta to Lake Victoria and Shoa tributaries of Blue Nile, Ganama River, Lake Stephanie, Omo, and Sagan Rivers.	

11,	Bagrus aor, p. 405	Mystus Osteobagrus aor (Hamilton); Jayaram, K. C., Rec. Indian Mus., LI, (4), p. 549 (1954).	Bengal.	Do.	Sind, Punjab, Delhi, Assam and Burma.	1956]
12.	Bagrus lamarrii, p. 407	Mystus (Osteoagrus) seenghala (Sykes); Jayaram, K. C., Op. cit. p. 550.	Mutha Mula River, Poona.	Do.	Punjah, Delhi, U. P., Bengal, Burma, Yunnan and Deccan upto Kistna river.	_
13.	Bagrus corsula, p.408	Mystus (Mystus) menoda (Hamilton); Jayaram, K. C., Op. cit. p. 546.	Kosi, Mahananda River, N. Bihar.	Do.	Burma, Assam, Bengal and Orissa.	K. C. Ja
14.	Bagrus cavasius, p. 409	Mystus (Mystus) carasius (Hamilton); Jayaram, K, C., Op. cit. p. 532.	Gangetic Province	Do.	Whole of India upto Madras in South, south Burma, and Yunnan.	Jayaram:
15.	Bagrus keletius, p. 411	Mystus (Mystus) keletius (Valenciennes); Jayaram, K. C., Op. cit. p. 540.	Pondicherry	Do.	Pondicherry, Coimbatore, Mysore and Ceylon.	Notes on Bagrid
16.	Pagrus nigriceps, p. 412	Mystus (Mystus) nigricers (Valenciennes); Jayaram, K. C., Op. cit. p. 553.	Pondicherry	ro.	Thailand, Malay Peninsula, Java, Sumatra and Borneo.	n Bagri
17.	Bagrus vittatus, p. 413	Marstree (Marstree) with the (Plank)		T) -	Thursday India Brown Siam	
18.	Bagrus tenggara, p. 414	Mystus (Mystus) vittatus (Bloch); Jayaram, K. C., Op. cit. p. 534.	Tranquebar	Do.	Throughout India, Burma, Siam and Ceylon.	Fishes
19.	Bagrus halepensis, p. 413	Mystus (Mystus) pelusius (Solander); Jayaram, K. C., Op. cit. p. 552	Aleppo, River Coic, Syria.	Do.	Syria.	5
24.	Bagrus stenomus, p. 415	Leiocassis stenomus (Valenciennes); Regun, C-T., Ann. Mag. nat. Hist. (8), XI., p. 548 (1913).	Java	Do.	Thailand, Malay Peninsula, Sumatra, Java and Borneo.	<u>ට</u> ,

TABLE 1—contd.

No.	Name and page reference in "Histoire Naturelle des Poisson. Vol. XIV.	Current Scientific name and latest reference.	Type locality	Current family position.	Distribution of the Species.	
21.	Bagrus albilabris, p. 416					
22.	Bagrus fuscus, p. 417					
2 3.	Bagrus gulio, p. 418	Mystus (Mystus) yulio (Hamil-	Upper parts of	Bagridae	Estuaries and tidal waters from	
24.	Bagrus birmannus, p. 419	ton); Jayaram, K. C., Op. cit. p. 542.	Gangetic estua- ries.		Ceylon, Sind, India, Burma to Malay Archipelago, Thailand	
25.	Bagrus abbreviatus, p. 420				and Sumatra.	
26.	Bagrus planiceps, p. 421		_	.		
27.	Bagrus anisurus, p. 422	Mystus (Mystus) planiceps (Valenciennes); Jayaram, K.C., Op. cit. p. 553.	Java	Do.	Thailand, Java, Sumatra, Borneo and Malay Peninsula.	
28.	Bagrus nemurus, p. 423	Mystus (Mystus) nemurus (Valenciennes); Jayaram, K.C., Op. cit. p. 553.	Java	Do.	Thailand, Malay Archipelago and Java.	
29.	Bagrus oculatus, p. 424	Mystus (Mystus) oculatus (Valenciennes); Jayaram, K.C., Op. cit. p. 540.	Malabar Coast	Do.	Malabar Coast and Coimbatore district.	
3 0.	Bagrus batasio, p. 525	Batasio batasio (Hamilton); Hora & Law, Rec. Indian Mus, XLIII, Part (1), p. 33 (1941).	Brahmaputra	Do.	Teesta river system.	
31.	Bagrus nigrita, p. 426	Clarotes laticeps (Rüppel); Boulenger, G. A., Op. cit. p. 342.	Nile	Do.	Africa.	

32. 33.	Bagrus auratus, p. 426 Bagrus capito, p. 430	Chrysichthys auratus (Geoffroy St. Hilaire); Boulenger, G. A., Op. cit. p. 325.	Egypt	Do.	Africa.	1956]
34.	Bagrus maurus, p. 431	(Chrysichthys nigrodigitatus (Lacepede); Boulenger, G. A., Op. cit. p. 321.	••	Do.	Africa.	
35.	Bagrus poecilopterus, p. 431	Leiccasis poecilopterus (Valenciennes); Regan, C.T., Op. cit. p. 548.	Java	Do.	Thailand, Java, Sumatra and Borneo.	
36.	Bagrus tengana, p. 433	Patasio tengana (Hamilton); Hora & Law, Op. cit. p. 36.	Brah maputra River.	Do.	Darjeeling Himalayas, Assam, Tenasserim, Mergui, Perak and Siam.	K.C.
37.	Bagrus bilineatus, p. 434]			Siam.	Jay
38.	Bagrus netuma, p. 438	Tachysurus thalassinus (Rüppel);	Tac	chysuridae	Bombay and Ceylon.	Jayaram:
39.	Bagrus laeviyatus, p. 439	Chandy, M., Rec. Indian Mus., LI, p. 15 (1953).				
40.	Bagrus arioides, p. 440	٦				Notes on B ₄ , rid Fishes
41.	Bagrus gagorides, p. 441		Bengal	Do.	Coasts of Bombay, Puri, Penang	es o
42.	Bagrus trachipomus, p. 443	Chandy, M., Op. cit. p. 12.			and Calcutta.	n B
43 .	Bagrus sondaicus, p. 444)				r.
44.	Bagrus javensis, p. 445					$d F_i$
45.	Bagrus chinta, p. 445	Tachysurus sagor (Hamilton);	Gangetic estuaries	Do.	Coasts of Bombay, Calcutta, Penang	ishe
46.	Bagrus sagor, p. 446	Chandy, M., Op. cit., p. 11.			and the Saugor Island.	
47.	Bagrus doroides, p. 447	}				
48.	Bagrue commersonii, p. 449	Netuma commersonii (Valencien- nes); Jordan, D.A. et al., Rept. U. S. Fish. Comm., p. 149 (1928).	Montevideo	Do.	Uruguay, S. America.	57

TABLE 1—concld.

No.	Name and page reference in "Histoire Naturelle des Poisso Vol. XIV	Current Scientific name and latest reference.	Type locality.	Current family position.	Distribution of the Species.	
49.	Bagrus genidens, p. 452	Genidens genidens Castelnau; Eigenmann, C.H., Rept. Princeton Univ. Exped. Patagonia, III, part 2, No. 4, p. 381 (1910).	Rio de la Plata, Araguay.	Tachysuridae	Araguay, S. America.	
50.	Bagrus herzbergi, p. 453	Grimmania Annahami (Black)	Sania an	Do.	Coasts of South America from	
51.	Bagrus pemecus, p. 456	Selanaspis herzbergi (Rloch); Jordan, D. S. & Evermann, B. W., Proc. U. S. nat. Mus. No. 47, Part I, p. 124 (1898).	Surinam	ъо.	Cayenne to Peru.	
52.	Bagrus mesops, p. 456	Sciadeichthys mesops (Valenciennes); Jordan, D. S. & Evermann, W., Op. cit. p. 123.	Guiana	Do.	Guiana, S. America.	
53.	Bagrus proops, p. 457	Sciadeichthys proops (Valenciennes); Jordan, D. S. et. al., Rep. U. S. Fish Comm., p. 148. (1928).	Guiana, Porto Ric	eo Do.	West Indies.	
54.	Bagrus passany, p. 458	Sciadeichthys passany (Valenciennes); Jordan, D.S. & Evermann, B. W., Op cit. p. 124.	Cayenne	Do.	Cayenne, S. Amelica.	
55.	Bagrus couma, p. 459	Tachysurus couma (Valenciennes); Günther, A., Op. cit. p. 138.	Cayenne	Do.	Cayenne, S. America.	

56.	Buyrus alvicans, p. 461	Sciadeichthys alb nes); Jordan, I B. W., Op. cit.	icans (Valencien- O.S. & Evermann, p. 124.	Cayenne	Do.	Guiana to Amazon, S. America.	1956]
57.	Bagrus flavescens, p. 462	Sciadeichthys Javescens (Valenciennes); Jordan, D.S. & Evermann, B. W., Op. cit. p. 123.		Cayenne	Do.	Cayenne, S. America.	
58.	Bagrus temminckianus, p. 463	Sviadeichthys (Valenciennes); Evermann, B. V	temminckianus Jordan, D.S. & V., Op.cit. p. 124.	Cayenne	Do.	Cayenne, S. America.	K. C. Jayaram: Notes on Bagrid Fishes